


Heinkel He-111Z Cockpit kit

Part designations use **blue numbers** to avoid them from getting mixed up with numbers of the original model.






! IMPORTANT: The two cockpits for the two fuselages are basically built the same, with the exception of the main panel, see page 6.

1. Cockpit main structure.

First glue the lower wall (2) to the lower side of the cockpit floor (1), then glue on the prone position (3) to the edge of the floor and connect it to the lower wall. Finally glue on the lower side of the forward extension.





2. Seats and side console





There are two versions of part 29, one for landing gear up and one for landing gear down, choose one.

! Th
to
se

3. Control mechanisms and other cockpit details






the side with two lines has
face up. This is where the
that will be glued.



4. Installation of details


Bend the round tips of parts **47** and **48** up to glue on adjacent parts.



! The protruding tips of the second seat should be attached to the side wall.


The prone position cover (57) is optional, it is retracted when the bomb sight below it needs to be accessed.

5. Lower side




Gun

6. Build machine gun




7. Install nose detail

Reference for positions:



8. Fuselage inner sides

Glue the inner sides onto the fuselage parts, with transparent foil for the windows in between.




Don't put glue in this area, as you will need to stick the glue tabs in between the fuselage parts and the inner sides when assembling the fuselage.

9. More guns (optional)


Build the guns with back parts and install them in the holes on the rear fuselage and C-stand.

On the Z, if the guns are carried, they are only on the outside (e.g. Port side on port fuselage)



The window on part 48 of the original model may look different on different versions and the C-stand may also look different.



? Only certain versions have the forward gun on the C-stand, check your model files and title pages




Replace the former 47 from the original model with the doubled-up former 72 from the cockpit kit. The side that should face the bottom is marked with a small light grey bar.



10. Fuselage center

When building the wing of the main model, cut out the areas marked "cut out for cockpit" on parts 3 and 8 of the main model.



First glue part 30+ of the original model onto part 37 and onto the wing. Then glue the floor (75) inside of that, on top of the wing. Finally, replace the fuselage former (38) from the original model with parts 76 from the cockpit kit.

11. Install cockpit and nose

Glue the cockpit into the front of the fuselage, onto fuselage former 37 of the main model, then glue on the nose.

